

Material Safety Data Sheet:

3234A
Issue Date: 2/8/2013

Section 1 - Chemical Product and Company Identification

Product: 3234A – Typar Housewrap
 Chemical Family: Thermoplastic Polyolefin
 Manufacturer Information: Fiberweb, Inc.
 70 Old Hickory Blvd.
 Old Hickory, TN 37138 USA
 Company Contact: Bijan Mansouri
 Telephone Number: 1-615-847-7216 (8:00am - 5:00pm CST)
 Emergency Phone Contact: Chemtrec (24 Hours)
 Emergency Phone Number: 1-800-424-9300

Section 2 - Composition

CAS #	Component	Percent
9003-07-0	Polypropylene	>60%
1317-65-3 in Polyolefin Film Mixture	CaCO ₃ in Polyolefin Film	<40%
Mixture Pigment	UV Stabilizer	<3%
	Masterbatch*	<2%

*Contains Carbon Black (CAS 1333-86-4): <10%; Titanium Dioxide (CAS # 13463-67-7): <1%

Section 3 – Hazards Identification

Emergency Overview

Signs and symptoms of exposure: coughing or wheezing.

Route of Exposure-Skin

Possible mechanical irritation.

Route of Exposure-Eye

Not expected to be a problem being that this product is an inert solid.

Route of Exposure -Ingestion

Not Applicable

Route of Exposure-Inhalation

Not expected to be a problem being that this product is an inert solid.

HMIS Ratings

Health: 0
 Fire: 1
 Reactivity: 0
 Personal Protection: A

Hazard Scale:

0=Minimal
 1=Slight
 2=Moderate
 3=Serious
 4=Severe *=Chronic Hazard



MADE IN USA. ICC #ESR-1404 • CCMC #12884-R • CCMC #12892-R
 Please visit typar.com for installation instructions and warranty information
 PGI, 70 Old Hickory Blvd., Old Hickory, TN 37138 USA, typar.com

Material Safety Data Sheet:

3234A
Issue Date: 2/8/2013

Section 4 - First Aid Measures

First Aid-Skin

Wash affected area with soap and water.

First Aid-Eye

Rinse eyes with water for at least 15 minutes. If irritation persists, contact a physician.

First Aid-Ingestion

Minimal toxicity; no adverse effects expected.

First Aid-Inhalation

Not expected to be a problem being that this product is an inert solid.

First Aid-Notes to Physician

No health conditions aggravated by exposure are identified. Contact the poison control center if any problem occurs.

Section 5 - Fire Fighting Measures

Flash Point:	Not Applicable	Method Used:	Not Applicable
Auto Ignition:	735oF (388oF)	Flammability Classification:	Not Applicable
Lower Explosive Limit (%):	Not Applicable	Upper Explosive Limit (%):	Not Applicable

General Fire Hazards

Solid material may burn upon extended exposure to open flames.

Hazardous Combustion Products

Upon decomposition this product may emit carbon dioxide, carbon monoxide and/or low molecular weight hydrocarbons.

Extinguishing Media

Water spray, foam, carbon dioxide, or dry chemical

Fire Fighting Equipment/Instructions

As in any fire, wear a self-contained breathing apparatus and full protective gear.

NFPA Ratings

Health: 0 Fire: 1 Reactivity: 0

Hazard Scale: 0=Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

Section 6 - Accidental Release Measures

Containment Procedures: Sweep waste fabric into a pile.

Clean -Up Procedures: Sweep waste fabric into a waste container and recycle, incinerate or landfill in conformity with local disposal regulations.

Evacuation Procedures: Not Applicable

Special Procedures: None



MADE IN USA. ICC #ESR-1404 • CCMC #12884-R • CCMC #12892-R
Please visit typar.com for installation instructions and warranty information
PGI, 70 Old Hickory Blvd., Old Hickory, TN 37138 USA, typar.com

Material Safety Data Sheet:

3234A

Issue Date: 2/8/2013

Section 7 - Handling and Storage

Handling Procedures

Avoid exposure to heat, sparks or open flames.

Storage Procedures

Store material in cool (below 140oF) warehouse that is equipped with a sprinkler system.

Ensure product is not stacked too high.

Store product off the floor to prevent water damage.

Section 8 - Exposure Controls/Personal Protection

Component Exposure Limits

Component	CAS	Exposure Limits
Polypropylene	9003-07-0	ACGIH TLV-TWA: None Available OSHA PEL: None Available
CaCO3 in Polyolefin Film UV Stabilizer	1317-65-3 in Polyolefin Film Mixture	ACGIH: 10 mg/m3 , 8 hour TWA total dust in air OSHA: None available ACGIH TLV-TWA: None Available OSHA PEL: None Available
Pigment Masterbatch*	Mixture	ACGIH TLV-TWA: 3.5mg/m3 Total/Nuisance Dust OSHA PEL: 3.5mg/m3 Total Dust

*Based on Carbon Black (1333-86-4)

Engineering Controls

Normal room ventilation is usually adequate.

Personal Protective Equipment

Personal Protective Equipment-Eyes/Face

None usually required

Personal Protective Equipment-Skin

None usually required

Personal Protective Equipment-Respiratory

None usually required

Personal Protective Equipment-General

Follow individual plant safety rules.

Section 9 - Physical & Chemical Properties

Appearance:	Black Fabric with a Clear Polyolefin Film	Odor:	Essentially Odorless
Physical State:	Solid	pH:	Not Applicable
Vapor Pressure:	NIL	Evaporation Rate:	Not Applicable
Boiling Point:	Not Applicable	Melting Point:	>120oC
Solubility (H2O):	Negligible	Specific Gravity:	0.88-0.99
Vapor Density:	Not Applicable	Percent Volatiles:	NIL
Packing Density:	Not Applicable		

Section 10 - Chemical Stability & Reactivity Information

Chemical Stability

Stable under ordinary conditions of use and storage.

Conditions to Avoid

Combustible when exposed to open flames. Avoid chlorine, fluorine, and other strong oxidizers.

Incompatibility

None Known



MADE IN USA. ICC #ESR-1404 • CCMC #12884-R • CCMC #12892-R
Please visit typar.com for installation instructions and warranty information
PGI, 70 Old Hickory Blvd., Old Hickory, TN 37138 USA, typar.com

Hazardous Decomposition

Carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbon may be emitted upon decomposition.

Hazardous Polymerization

Will not occur.

Section 11 - Toxicological Information

Acute and Chronic Toxicity

General Product Information

No components of this product are known to be hazardous according to the criteria specified in 29CFR1910.1200 (Hazard Communication Standard).

Component Analysis

Component	CAS	LD50/LC50
Polypropylene	9003-07-0	Rat; LD 50; Route: Intraperitoneal; Dose: >110mg/kg; Toxic Effects: lacrimation; Sence organs and special sences-ptosis; Behavioral-convulsions or effect on seizure threshold; Reference: Yakuri to Chiryu. Pharmacology and Therapeutics 14:1109, 1986 LD50; Route: Intravenous; Dose: >99kg/mg; Toxic Effects: Behavioral- tremor; Lungs, Thorax, or Respiration-cyanosis; Nutritional and Gross Metabolic-body temperature decrease; Reference: Yakuri to Chiryu. Pharmacology and Therapeutics 14:1109, 1986.
CaCO3 in Polyolefin Film	1317-65-3 in Polyolefin Film	Oral, rat LD50 = 6450 mg/kg Draize test, rabbit, eye 750 ug/24H Draize test, rabbit, skin 500 ug/24H

Carcinogenicity

General Product Information

Carbon black has been evaluated by IARC as possibly carcinogenic to humans (Group 2B). NIOSH recommends that only carbon black with PAH>.1% be suspected carcinogens. The ACGIH classifies carbon black as A4, Not Classifiable as Human Carcinogen.

Epidemiology

No information available.

Neurotoxicity

No information available.

Mutagenicity

No information available.

Teratogenicity

No information available.

Other Toxicological Information

Specific toxicity testing has not been performed on this product. Hazard evaluation is based on information from similar products, raw material data, and technical literature.



MADE IN USA. ICC #ESR-1404 • CCMC #12884-R • CCMC #12892-R
Please visit typar.com for installation instructions and warranty information
PGI, 70 Old Hickory Blvd., Old Hickory, TN 37138 USA, typar.com

Section 12 - Ecological Information

Ecotoxicity

General product Information

Considered inert to the environment.

Environmental Fate

No available information.

Section 13 - Disposal Considerations

US EPA Waste Number & Descriptions

General Product Information

None identified.

Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components

Disposal Instructions

Dispose of container and unused contents in accordance with federal, state and local requirements.

Processing, use or contamination of this product may change the waste management options.

Section 14 - Transportation Information

Transportation Regulations

Product is not regulated for transportation.

Section 15 - Regulatory Information

US Federal Regulations

General Product Information

No additional information.

Component Analysis-Federal

Component	CAS #	SARA 302 (40CFR355 Appx A)	SARA 313 (40CFR372.65)	CERCLA (40CFR302.4)
Polypropylene	9003-07-0	No	No	No
CaCO3 in Polyolefin	1317-65-3 in Polyolefin	No	No	No
Film	Film			
UV Stabilizer	Mixture	No	No	No
Pigment Masterbatch	Mixture	No	No	No

Section 16 - Other Information

Other Information

Material for this MSDS was taken from MSDS's for raw materials

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE.

This information and the product are furnished on the condition that the person receiving them shall make his or her own determination as to the suitability of the product for his particular purpose and on the condition that they assume the risk of his use thereof. THIS PRODUCT IS CONSIDERED AN ARTICLE AND DOES NOT REQUIRE A MATERIAL SAFETY DATA SHEET (MSDS).

APPROVED BY: MICHAEL THOMASON